



### **AMEDONE 10 % SOLUTION**

### (POVIDONE IODINE 10% SOLUTION)

#### **USES:**

- 1) An antimicrobial for topical application in the treatment and prevention of infectious wounds.
- 2) Used in first aid for minor cuts, burns, abrasion and blisters.
- 3) For pre and post operative skin cleansing.



- 63x60 ML
- 112x100 MI
- 112x120 ML
- 48x200 ML
- 54x250 ML (SPRAY)
- 24x500 ML
- 4x5 LTR



### **AMEDINE TINCTURE**

# (IODINE 2.5% & POTASSIUM IODIDE 2.5%)

#### **USES:**

- 1) Disinfectant for intact skin.
- 2) Antiseptic solution with Alcohol.
- 3) Used as first aid for minor cuts & abrasions.
- 4) Used as topical prophylaxis and treatment of surgical skin infections.



- 63x60 ML
- 48x100 ML
- 48x200 ML
- 24x500 ML
- 4x5 LTR



### **AMEDONE SCRUB**

### (POVIDONE IODINE 7.50% SCRUB)

#### **USES:**

- 1) As surgical hand scrub.
- 2) For the preparation of the skin and mucous membranes prior to surgery.
- 3) For handwashing to reduce bacteria on the skin.
- 4) Used in the veterinary segment for pre-operative & post-operative skin washing.
- 5) Used for prevention of fungal and bacterial skin infections.



- 24x500 ML
- 4x5 LTR



### **AMESCRUB**

# (4% CHLORHEXIDINE GLUCONATE SCRUB)

#### **USES:**

- 1) Surgical hand scrub used on the hands and forearms prior to surgery.
- 2) Used as an antimicrobial hand wash.
- 3) For patient's pre-operative skin preparation.
- 4) Skin wound and general skin cleansing.



- 24x500 ML
- 8x1 LTR (POUCH)
- 4x5 LTR



### **AMEPEROXIDE**

# (6% HYDROGEN PEROXIDE SOLUTION)

### **USES:**

- 1) An antimicrobial agent used to disinfect inanimate objects.
- 2) Used in dental treatment.
- 3) Mild disinfectant for minor cuts and wounds.
- 4) Used as an antiseptic solution.
- 5) Used as a bleaching agent.



- 48x100 ML
- 48x200 ML
- 24x500 ML
- 12x1 LTR



### **AMEPEROSIL**

# (HYDROGEN PEROXIDE - 3%)

### **USES:**

- 1) Antimicrobial and disinfecting agent.
- 2) Used as a surface sanitizer for Hospitals / Clinics / Hotels / Commercials & Residences for fumigation purpose.



- 54x250 ML
- 4x5 LTR
- 25 LTR



# **AMEGEL**

# (WITH 70% ETHANOL)

### **USES:**

1) A Hand Gel Sanitizer



- 80x60 ML
- 72x75 ML
- 54x250 ML
- 24x500 ML
- 8x1 LTR (POUCH)
- 4x5 LTR



### **AMESOL**

# (CHLORHEXIDINE GLUCONATE 0.5% WITH ISOPROPYL ALCOHOL 70% AND GLYCERIN)

### **USES:**

1) Amesol is a disinfectant used as a hand sanitizer with a moisturizing effect and it is an effective hand rub.



- 24x500 ML
- 4x5 LTR



# **ISO PROPYL ALCOHOL 70%**

### **USES:**

- 1) Used as a disinfectant for instruments and surfaces.
- 2) Used as a hand rub.



- 88x100 ML (SPRAY)
- 48x200 ML
- 54x250 ML (SPRAY)
- 24x500 ML
- 4x5 LTR



### **CHLOROSEPT**

### (0.015% CHLORHEXIDINE GLUCONATE, 0.15% CETRIMIDE SOLUTION)

#### **USES:**

- 1) Used as an antiseptic solution.
- 2) Cleaning and disinfecting the wounds.
- 3) Antiseptic treatment for burns.
- 4) Disinfects contaminated rooms and surfaces.
- 5) Tools and stainless steel intruments disinfection before sanitization.



- 24x500 ML
- 4x5 LTR



### **SURGICAL SPIRIT**

## (ETHANOL AND METHANOL)

#### **USES:**

- 1) To disinfect the skin before injection.
- 2) To cleanse instruments before the procedure.
- 3) Used to clean minor cuts and bruises.
- 4) As a hand sanitizer in hospitals.
- 5) As a general cleanser and disinfectant for kitchen and bathroom surfaces.



- 48x100 ML
- 88x100 ML (SPRAY)
- 48x200 ML
- 54x250 ML (SPRAY)
- 24x500 ML
- 4x5 LTR



# **AMECLEAN**

# (SODIUM HYPOCHLORITE 3% SOLUTION)

### **USES:**

- 1) Used as a disinfectant to clean contaminated areas.
- 2) Used as a bleaching agent.
- 3) Used as a destaining agent.
- 4) Used in endodontic therapy.



### **PACKING:**

• 24x500 ML



# **AMESCAN**

# (ULTRASOUND GEL)

### **USES:**

1) Used as a gel for ultrasound procedures in scanning and physiotherapy.



- 54x250 ML
- 4x5 LTR



# **ECG GEL**

### **USES:**

1) Used as a conductivity medium for ECG procedures.



- 54x250 ML
- 4x5 LTR



# **AMEQUAT SURFACE DISINFECTANT-LIME**

# (ALKYL BENZYL DI METHYL AMMONIUM CHLORIDE)

#### **USES:**

- 1) Used as a surface disinfectant.
- 2) Used for cleaning and sanitation of floor and other surfaces.
- 3) Used for cleaning and disinfection of medical equipment.
- 4) Available in concentrated form to be diluted as per specifications mentioned on the label.



### **PACKING:**

• 4x5 LTR





### **AMEGUARD**

# (ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE)

### **USES:**

- 1) Used as a surface disinfectant.
- 2) Ready to use product.
- 3) Can be used in Hospitals / Clinics / Restaurants / Hotels / Schools / Malls.



### **PACKING:**

• 12x1 LTR



### OXYSAFE

# (HYPOCHLOROUS ACID - 0.02%)

#### **USES:**

- 1) Used as a surface disinfectant.
- 2) Sanitization liquid for tunnel gates.
- Used in fumigation equipments to sanitize Hospitals / Clinics / Hotels / Commercial / Residences



- 54x250 ML
- 4x5 LTR
- 1x25 LTR



# **DISTILLED WATER**



- 12x1 LTR
- 4x5 LTR
- 1x20 LTR



### **CALAMINE LOTION**

# (CALAMINE ZINC OXIDE, BENTONITE)

### **USES:**

- 1) Used to treat itching and skin irritation caused by dry skin, insect bites and skin rashes.
- 2) Used in minor burns including sunburn.
- 3) Used in Eczema, Chicken Pox (Blisters) and scabies.



- 112x100 ML
- 48x200 ML





# **BENZYL BENZOATE**

# (BENZYL BEZOATE APPLICATION BP)

### **USES:**

- 1) Used in the treatment of Scabies.
- 2) Used to treat general skin infections.



### **PACKING:**

• 48x100 ML



### **ICHTHAMMOL OINTMENT**

### (10% ICHTHAMMOL - ALSO KNOWN AS BLACK OINTMENT)

#### **USES:**

- 1) Used as a skin ointment with anti-inflammatory, bactericidal and anti-fungal properties.
- 2) Used to treat a variety of skin infections like Eczema, Psoriasis, Acne.



- 144x40 GM
- 72x100 GM
- 24x500 GM





### **AMEDONE 10% OINTMENT**

# (POVIDONE IODINE 10%)

#### **USES:**

- 1) Used as an antiseptic ointment with antimicrobial and anti-fungal properties.
- 2) Used as first aid in minor cuts, scrapes and burns.



- 144x40 GM
- 48x250 GM
- 24x500 GM



### **MERCUROCHROME**

# (MERCUROCHROME SOLUTION / MERBROMINE SOLUTION)

### **USES:**

- 1) Used as Topical antiseptic for minor cuts and scrapes.
- 2) Used for finger or toe nail infections.
- 3) Used as a biological dye in the labs.



### **PACKING:**

• 63x60 ML





# **GENTIAN VIOLET SOLUTION**

# (GENTIAN VIOLET 1%)

### **USES:**

- 1) Used as an antiseptic to treat fungal infections like Ring Worm and athelete's foot.
- 2) Used on minor cuts and scrapes to prevent infections.



### **PACKING:**

• 63X60 ML

# **GLYCERIN**

### **USES:**

- 1) Used as a moisturizer for dry skin.
- 2) Used for Diaper Rash, Skin Burns from Radiation Therapy.



- 48x100 ML
- 54x100 ML
- 48x200 ML
- 12x1 LTR
- 4x5 LTR

# **CASTOR OIL**

### **USES:**

- 1) Used to relieve from occasional constipation.
- 2) Used as a lubricant.
- 3) Natural anti-inflammatory agent in skin burns, dandruff and psoriasis.
- 4) Used as a personal care product for hair and skin care.



- 63x60 ML
- 48x100 ML



### **PARAFFIN OIL**

# (LIGHT LIQUID PARAFFIN)

#### **USES:**

- 1) Used as a Lubricant or Binder in cosmetics.
- 2) Used to relieve occasional constipation in human and veterinary case.



- 48x100 ML
- 48x200 MI
- 24x500 ML
- 12x1 LTR
- 4x5 LTR



# NO LICE HERBAL ANTI LICE SHAMPOO

### **USES:**

- 1) Used as a haircare shampoo.
- 2) Used to treat head lice.
- 3) Used to treat the itching of the scalp.



### **PACKING:**

• 40x200 ML



## **EPSOM SALT**

# (MAGNESIUM SULPHATE)

### **USES:**

- 1) Used as a Dehydrating Agent.
- 2) Used as a Bath Sallt.
- 3) Used for muscle soreness and stress.
- 4) Used to treat constipation.
- 5) As a Magnesium supplement.



- 96x100 GM
- 24x500 GM (POUCH)
- 24x500 GM (BOX)
- 1x4.50 KG
- 25 KG (BAG)



# **BORIC ACID POWDER**

### **USES:**

- 1) Used as an insect repellent.
- 2) Used in pest control as an insecticide.
- 3) Used as antiseptic and antifungal agent.



### **PACKING:**

• 96x100 GM



### **AMEVET GEL**

# (PROPYLENE GLYCOL & GLYCERIN-LUBRICATING GEL)

### **USES:**

- 1) Used as a lubricating gel for medical examination in the veterinary segment.
- 2) It is non-sterile.



- 12x1 LTR
- 4x5 LTR





### **AMEDONE 2% ANIMAL SHAMPOO**

(POVIDONE IODINE 2%)

### **USES:**

- 1) Used as a shampoo for pets to get rid of bacterial and fungal infection.
- 2) Used as a daily care shampoo to prevent infections for horses, camels and other pet animals.



### **PACKING:**

• 4x5 LTR



# CLEANEX

# (ANTI MICROBIAL HAND WASH)

### **USES:**

1) Used on the hands to remove the germs.



### **PACKING:**

• 8x1 LTR



# **AMERUB**

# (CHLORHEXIDINE GLUCONATE 2% V/V, ISO PROPYL ALCOHOL 70% V/V)

### **USES:**

1) Used as Antimicrobial hand rub.



### **PACKING:**

• 24x500 ML



# **AMERUB-AQ**

# (CHLORHEXIDINE GLUCONATE 2% V/V)

### **USES:**

1) Used as Antimicrobial hand rub.



### **PACKING:**

• 24x500 ML



# **ELBOW SOAP DISPENSER**

### **USES:**

- 1) To be fixed on the walls in ICU / Washing Stations.
- 2) to fix antimicrobial hand wash euro bottle.





# **INSTROCLEAN (CONCENTRATE)**

# (QUATERNARY AMMONIUM COMPOUND AND N-PROPANOL)

### **USES:**

1) For disinfecting and cleaning of surgical & dental instruments.



- 1 Ltr
- 5 Ltr



### **AMEFRESH**

# (CHLORHEXIDINE GLUCONATE)

### **USES:**

- 1) Antimicrobial solution inhibits the formation of dental plaque and maintains oral hygiene.
- 2) Used in the treatment of oral pharyngeal cavities.
- 3) Controls bad breath.



### **PACKING:**

• 200 ml



### REPEL

# (INSECT REPELLENT LOTION - NATURAL BASED)

### **USES:**

- 1) Repels insects. (Fleas, mosquitoes, ants)
- 2) DEET free plant-based ingredients. Kind to skin.
- 3) Long-lasting and effective protection up to 12 hours.



### **PACKING:**

• 100 ML



### **SURFACIDE**

# (DIDECYLDIMETHYL AMMONIUM CHLORIDE(DDAC) AND N-(3-AMINOPROPYL)-N-DODECYL PROPANE-1,3-DIAMINE)

### **USES:**

- 1) Used in cleaning and disinfection of surfaces and Equipment of the Health Care environment.
- 2) Used in the disinfection of the small parts of Medical Equipment.



### **PACKING:**

• 4 X 5 Ltr



teamameya@gmail.com

SAIF Zone, Sharjah, U.A.E.

www.ameya-fze.com

ameya.fzc

